



The Ultimate Range

Aluminium Doors and Windows

Bifolding Doors

Page 4 - 7

Entrance Doors and aluminium panels

Page 8 - 9

French Doors

Page 10 - 11

Sliding Doors

Page 14 - 17

Windows

Page 18 - 21

Bifold and Sliding Windows

Page 22



All images are for illustrative purposes only



Ultimate

EVO Aluminium Bifolding Doors

The Ultimate EVO Aluminium Bifolding Doors offer exceptional performance and is the product of cutting-edge British hardware innovation.

Hardware is a crucial element in bifold door design, determining not only how secure your new door will be, but also how easy it is to use. In short, it's hardware that does the hard work.

We have looked at each and every aspect, the function of every individual hardware component used in the Ultimate EVO's fabrication. We have designed door rollers, hinges, gears and running tracks from the ground up, to optimise the performance of each.

Manufactured in the UK using the best materials and to the highest standards, it means that the Ultimate EVO delivers effortless operation, enhanced security, and exceptional weather sealing.


Combined with a slim aluminium profile, the core integrity of our hardware means that we can also offer incredible design flexibility, accommodating heavier individual sash weights and openings of up to 8400mm*





Choose your configuration

With inward and outward opening options, the Ultimate EVO offers exceptional design flexibility with 32 different configurations and up to a maximum seven individual sashes.




- 3 - The total number of sashes
- 1 - The number of sashes opening to the left
- 2- The number of sashes opening to the right

3-1-2


Reverse configurations also available, eg. 3-1-2 and 3-2-1




Externally Viewed



3-3-0




3-2-1




4-3-1


- Internal and External Entrance Door Handle Position
Lever / Lever with 3* cylinder and keys
- Shootbolt Handle Position
Internal Handle/s without cylinder and keys




5-5-0




5-4-1




5-3-2




6-5-1




6-3-3




7-4-3



7-5-2



7-6-1



7-7-0

Choose your threshold and cill



Standard Threshold
Weather Rated
(with cill)



Internal Low
Threshold



Internal Low
Threshold
with Rebate



Internal Low
Threshold with
Rebate & Ramp

Cill options: Stub / 150mm / 190mm

Choose your colour



Traffic White



Anthracite
Grey



Anthracite
Grey on
Traffic White



Jet Black



Jet Black
on
Traffic White



From over 200
Special Colours
Single or Dual

Choose your hardware colour

Lever / Lever Handles



White



Grey



Black



Chrome



Satin

Non Document Q or PAS24 Compliant


Reverse configurations also available, eg. 2-2-0 and 2-0-2

*No external access as standard for these configurations. Handles displayed are internally positioned.


Internal shootbolt locking with cylinder and internal / external shootbolt locking with cylinder options are available - these options DO NOT comply with Document Q / PAS24




2-2-0*




4-4-0*



4-2-2*



6-6-0*



6-4-2*

Features and additional options

Shootbolt Handle



Shootbolt Handle with cylinder



Internal only Shootbolt Handle
with cylinder comes with a
1* half cylinder.

Internal and External Shootbolt
Handles with cylinder comes with a
3* cylinder.

Trickle Vents



Choose either trickle vents within
the door (pictured left) or within
a 38mm add-on on the top of
the frame.

The Ultimate EVO Aluminium Entrance Door originates from our bifold door system. The same EVO slim sash and frame create these secure and contemporary residential doors.

The single entrance door can be up to 1200mm wide and 3000mm tall, and has the additional option for joined sidelights, each able to house either double or triple glazing.

Complement your entrance door with either clear or textured glass, or from the 25 panel designs below. Choose a sleek smooth finish, a traditional groove or from our assortment of satin glass and stainless steel trim options. Whichever style appeals to you, an Ultimate EVO Aluminium Entrance Door will be an impressive statement to your home.

Choose your threshold and cill

See options on page 7.

Choose your colour




Traffic White Anthracite Grey Anthracite Grey on Traffic White



Jet Black Jet Black on Traffic White



From over 200 Special Colours Single or Dual



Choose your panel design



Arran Barra Bryher Canvey Coll Fetler Horizontal Fetler Vertical Hayling Hoy Islay



Jura Lismore Lundy Orkney Rum Sanday Scalpay Shetland Skye Stronsay Tresco Ulva Walney Westray Wight

Choose your hardware colour

Lever / Lever Handles



White Grey Black



The Ultimate Door Panels use 1.5mm aluminium sheets, that is nearly double the amount used by many of the UK's leading aluminium panel suppliers!

The polyfoam laminating insulation is a rigid extruded polystyrene board, is lightweight, has excellent structural strength and is resistant to moisture absorption.

The Ultimate Aluminium Panel contains a 4.5mm fibre cement board. This fire-resistant sheathing board is extremely durable, improves product security, is impact-resistant, repels rot and fungus and will withstand extreme climates. No timber or MDF are used within the Ultimate Aluminium Panels Doors.

The enclosed edges situated on all sides of the panel (grooved panels do not have enclosed edges due to the nature of the manufacturing process), increases the panels stability and provides additional ease at installation when 'toe and heeling' the 28mm panel.

Ultimate

EVO Aluminium French Doors

The Ultimate EVO Aluminium French Doors originates from our bifold door system. The same EVO slim sash and frame create these secure and contemporary residential doors.

The double entrance doors can be up to 2400mm wide and 3000mm tall, and has the additional option for joined sidelights, each able to house either double or triple glazing.

The cutting-edge aluminium system delivers a contemporary design which provides practical access to your home. These double doors also allow you to develop a consistent style throughout your property when using multiple door options within the EVO suite.



Choose your threshold and cill

See options on page 7.

Choose your colour



Traffic White



Anthracite Grey



Anthracite Grey on Traffic White



Jet Black



Jet Black on Traffic White



From over 200 Special Colours Single or Dual

Choose your hardware colour

Lever / Lever Handles



White



Grey



Black



Chrome



Satin



The main access door is operated by a lever / lever handle with a 3* cylinder.

The secondary door is controlled by the internal shootbolt handle. Optional external shootbolt handle and cylinder also available. See page 7.





Enjoy every season with the Ultimate Doors





Ultimate

EVO Aluminium Sliding Doors


Enjoy smooth operation, lasting quality and a brighter, more spacious home with the Ultimate EVO Aluminium Sliding Doors.

The Ultimate EVO Sliding Doors deliver the best in modern styling and contemporary flair. Premium patio doors with slim flat sightlines, that effortlessly glide along its robust stainless steel rails.

Energy efficiency in buildings is a demand made by architects and homeowners. Both being aware of the importance of a home's environmental footprint. The Ultimate EVO meets such challenges with all the latest technological developments necessary to ensure your home remains comfortable whilst aesthetically pleasing.

The Ultimate EVO Sliding Doors are ideal for both replacement and new projects. The slim lines, low threshold, graceful operation and modern appearance, makes these sliders suitable for any home that desires a practical door system.

If having an uninterrupted view is important, then the Ultimate EVO Sliding Doors could be the best option.






Choose your configuration

With internal or external sliding doors, the Ultimate EVO offers multiple configurations to suit your homes style and access points.

Double Track




OX XO XX




OXXO XXXX


Triple Track




OXX XXO




XXX




OOXOO



OXXXXO



XXXXXX



Trickle Vents



Trickle vent/s within a 38mm add-on on top of the frame.

Choose your cill

Cill options: 180mm / 230mm / Triple Track 250mm

Choose your colour



Traffic White Anthracite Grey Jet Black From over 200 Special Colours Single or Dual

Choose your hardware colour


Standard Manilla Offset Handles



Blu Premium Stainless Steel Pull Bars and Escutcheon



Choose either Satin or Matt Black



Ultimate

Aluminium Window Collection

The Ultimate Aluminium Window Collection offers a flexible range of windows that are ideally suited to meet the demands of both traditional and new build homes. They are naturally strong and easy to maintain. It's easy to see why they are a popular choice and a smart investment.

The strength of the aluminium allows the Ultimate windows to support much larger spans of glazing within a slim frame. This gives uninterrupted views and greater light diffusion to transform not only how your home looks, but how it feels.

The Ultimate windows are fully recyclable and energy efficient, they can help to reduce your carbon footprint and your heating bills.

We manufacture aluminium fixed panes, top and side hung casements, dummy sashes, French Windows, shaped frames, bay windows, and tilt and turns!

Designed to perform as great as they look, with exceptional durability that outperforms traditional timber systems and providing a sleeker, more attractive finish than PVC-U.

The Ultimate Aluminium Window Collection allows the maximum amount of natural light to enter your home whilst giving a sleek slim appearance.





Choose your window style

The Ultimate Aluminium Window Collection has a window for every application whether a new build or refurbishment.

Casement options are available in standard or flush outerframe. All window styles have square beading and perfectly complement the EVO door range.

The Ultimate Aluminium Window Collection has a strong super slim frame and a depth of just 38mm (fixed light), or 66mm with standard vent. Opening casements are available in sizes up to a maximum of 1400mm x 1400mm, to give the widest views and maximise daylight in every room.

Crisp, clean, contemporary designs that add character, style, security and comfort.

- Top hung casements
- Side hung casements
- Fixed lights
- Dummy sash
- Shaped frames
- French windows
- Bay windows
- Georgian bars
- Tilt and turns

Choose your cill

Cill options: 84mm Stub / 150mm / 190mm

Choose your colour



Choose your hardware colour



Standard
Casement



Flush
Casement



Looking for a window with a difference?


How about an Ultimate Aluminium EVO bifold or Sliding Window?



The Ultimate Aluminium EVO bifold Window is available in 32 configurations, with 2 - 7 doors and in over 200+ single or dual colours. Internal shootbolt locking as standard with the option for external shootbolt handle/s and locking. See page 7.

Sashes from 600mm - 1200mm wide and 800mm - 1800mm high.
Available as open in or open out.

Externally Viewed




All configurations on pages 6 and 7 are available with shootbolt locking.
Lever / Lever handles are not an option with bifold windows.




The Ultimate Aluminium EVO Sliding Window is available in 6 configurations and in over 200+ single or dual colours.

Sashes from 600mm - 2000mm wide and 600mm - 1800mm high.



Available configurations for sliding windows are OX / XO / XX / OXX / XXO / XXX
with either Manilla or Blu Bar handle options. See pages 16 and 17.



The Ultimate aluminium doors and windows provide a seamless connection between your homes indoor and outdoor space. Connecting you with the outside all year-round, whatever the weather!

Bespoke Window Systems Limited

Unit 13 Meridian Business Centre,
Vulcan Way,
Croydon
CR0 9UG

t: 01689 841602

w: www.bespokewindowsystems.com

e: office@bespokewindowsystems.com



MIX

Paper from
responsible sources

FSC® C014866

